

FEATURES AND OPTIONS - 5000 SERIES

● = Standard ● = Optional

Features and options*	5900/ 24R 30"	5900 / 16R 30"	5900 / 12R 30"	5700 / 36R 20"	5700 / 24R 30"	5700 / 24R 20"
Planter frame and toolbar	Front fold	Front fold	Front fold	Front fold	Front fold	Front fold
Sections	3	3	3	3	3	3
Flexibility	Wing flex 21° Up / 21° Down	Wing flex 21° Up / 21° Down	Wing flex 21° Up / 21° Down	Wing flex 15° Up / 15° Down	Wing flex 15° Up / 15° Down	Wing flex 15° Up / 15° Down
Row markers	●	●	●	●	●	●
Flip axle	●	—	—	—	—	—
Active hydraulic weight transfer	●	●	●	●	●	●
Number of rows per wing	8	5	3	12	8	8
CAT 4 drawbar with articulating swivel hitch	●	●	●	●	●	●
CAT 5 drawbar with articulating swivel hitch	—	—	—	●	●	●
2-point hitch adapter	●	●	●	—	—	—
Variable displacement piston PTO hydraulic pump	●	●	●	●	●	●
Transmission and drive system						
Blue Drive electric drive	●	●	●	●	●	●
Seed handling						
Bulk fill hoppers - total capacity	120 bu.	80 bu.	80 bu.	120 bu.	120 bu.	120 bu.
Bulk fill scale package	●	●	●	●	●	●
Displays and control						
Blue Vantage display	●	●	●	●	●	●
Ag Leader 7500 GPS Receiver	●	●	●	●	●	●
Metering						
True Speed high speed electric drive meter	●	●	●	●	●	●
True Rate vacuum meter	●	●	●	●	●	●
Down pressure						
True Depth hydraulic down force	●	●	●	●	●	●
Pneumatic down pressure	●	●	●	●	●	●
Row Unit Attachments (5000 Series Row Unit)						
Yetter air adjustable row cleaners (w or w/o no-till)	●	●	●	●	●	●
Spoked gauge wheels w/scrapers	●	●	●	●	●	●
Manual adjustable closing wheels	●	●	●	●	●	●
Air adjustable closing wheels	●	●	●	●	●	●
Rubber V closing wheels	●	●	●	●	●	●
Spiked closing wheels	●	●	●	●	●	●
Cast iron closing wheels (repair part)	●	●	●	●	●	●
Row unit mounted no-till coulters (3/4" fluted)	●	●	●	●	●	●
Residue wheels, coulters mtd w/treader wheel	●	●	●	●	●	●
Granular chemical with hopper	●	●	●	●	●	●
Fertilizer						
Liquid fertilizer tanks	●	●	●	●	●	●
Liquid fertilizer openers	●	●	●	—	—	—
Liquid fertilizer tube in-furrow	●	●	●	●	●	●
Diaphragm pump package w/manifolds	●	●	●	●	●	●
Auxiliary front hitch plumbing	●	●	●	●	●	●
Rear trailer hitch	●	●	●	—	●	—
Miscellaneous						
First camera - planter mounted	●	●	●	●	●	●
Add'l Cameras - (up to 3)	●	●	●	●	●	●
LED Auxiliary work light package	●	●	●	●	●	●

● = Standard ● = Optional

Features and options*	3665	3605	3505	3205	3145	3115	3005
Planter frame and toolbar	Pivot fold	Pivot fold	Pivot fold	Wing fold	Stack fold	Mounted	Rigid
Sections	3	3	1	2	1	1	1
Flexibility	Wing flex 13° up / 13° down	Wing flex 7° up / 7° down	Rigid	Center flex 13° up / 13° down	Wing flex 8° up / 8° down	Rigid	Rigid
Split rows	●	●	●	—	—	—	●
Even row split row	●	●	●	—	—	—	—
Row markers	●	●	●	●	●	●	●
Hydraulic weight transfer (active hydraulic weight transfer w/bulk fill scale and Blue Drive)	●	●	—	—	—	—	—
CAT 4 drawbar with articulating swivel hitch	●	●	—	—	—	—	—
2-point hitch	●	●	●	—	—	—	—
Clevis hitch	—	—	●	●	—	—	●
Variable displacement piston PTO hydraulic pump (standard with Blue Drive)	●	●	●	—	—	—	—
Transmission and drive system							
Blue Drive electric drive	●	—	●	—	—	—	—
Hydraulic drive	—	●	—	—	—	—	—
Ground contact drive	—	●	●	●	●	●	●
Seed handling							
Bulk fill hoppers - total capacity	110 bu.	80 bu.	50 bu.	—	—	—	—
Bulk fill scale package	●	●	● (Blue Drive)	—	—	—	—
Row unit hoppers - 1.9 bu.	—	●	●	●	●	●	●
Displays and controls							
Blue Vantage display (standard with Blue Drive)	●	—	●	—	—	—	—
Ag Leader InCommand 1200	—	●	●	●	—	—	—
Ag Leader electronics package	—	●	●	●	—	—	—
KPM III electronic seed monitor	—	●	●	●	●	●	●
Ag Leader 7500 GPS receiver	●	●	—	●	—	—	—
Electric single row clutches	—	●	●	●	—	—	—
Metering							
True Speed high speed electric drive meter	●	—	●	—	—	—	—
True Rate vacuum meter	●	●	●	●	●	●	—
Mechanical Meters (Brush 2.0 or Finger pick-up)	—	●	●	●	●	●	●
Down pressure							
True Depth hydraulic down force	●	●	●	—	—	—	—
Pneumatic down pressure	●	●	●	—	—	—	—
Heavy duty down pressure springs	●	●	●	●	●	●	●
Row Unit Attachments (3005 Series Row Unit)							
Spoked gauge wheels	●	●	●	●	●	●	●
Spiked closing wheels	●	●	●	●	●	●	●
Rubber V closing wheels	●	●	●	●	●	●	●
Cast iron closing wheels (repair part)	●	●	●	●	●	●	●
Row unit mounted no-till coulters (3/4" fluted)	●	●	●	●	●	●	●
Residue wheels, coulters mtd w/treader wheel	●	●	●	●	●	●	●
Granular chemical with hopper	●	●	●	●	●	●	●
Fertilizer							
Liquid fertilizer tanks	●	●	●	●	—	—	●
Dry fertilizer packages	—	●	●	—	—	—	●
Notched single disc opener package	●	●	●	●	—	—	●
Heavy-duty single disc opener package	●	●	●	●	—	—	●
Liquid fertilizer tube in-furrow	●	●	●	●	—	—	●
Liquid fertilizer piston pump pkgs	●	●	●	●	—	—	●
Miscellaneous							
Cameras - planter mounted (up to 4)	●	—	●	—	—	—	—
LED Auxiliary work light package	●	●	●	—	—	—	—
Rear trailer hitch	●	●	●	—	—	—	—

*Not all features/options are available with all sizes or configurations.
Some features/options available only through Dealer Parts.

MODEL DIMENSIONS AND WEIGHTS

	5900			5700		
	24R 30"	16R 30"	12R 30"	36R 20"	24R 30"	24R 20"
Length						
Planting - bulk fill hoppers	28' 10" ¹	21' 11" ¹	19' 4" ¹	30' 1"	30' 1"	25' 4"
Transport - bulk fill hoppers	43' 8" ¹	33' 5" ¹	29' 5" ¹	43' 2"	43' 2"	34' 4"
Width						
Planting - bulk fill hoppers	62' 5"	43' 4"	33' 4"	60' 10"	60' 10"	42'
Transport - bulk fill hoppers	12' 0"	12' 0"	12' 0"	16' 2"	16' 2"	16' 2"
Height						
Planting - bulk fill hoppers	9' 3"	8' 11"	8' 9"	10' 4"	10' 4"	9' 8"
Transport - bulk fill hoppers	12' 0" ²	11' 9" ³	11' 7" ³	12' 4"	12' 4"	12' 4"
Weight (empty)						
Base machine - bulk fill hoppers ⁸	31,525-33,770 lbs.	21,490-22,930 lbs.	17,070-18,000 lbs.	32,000-37,400 lbs.	30,000-34,820 lbs.	26,460-27,210 lbs.
Hitch - bulk fill hoppers	10,146 lbs. ⁴	7,380 lbs.	5,260 lbs.	9,620 lbs.	8,000 lbs.	6,250 lbs.

	3205	3145	
	12R 30"	16R 30"	12R 30"
Length			
Planting - row unit hoppers	17' 9"	5' 3" / 9' 5" ⁵	5' 3" / 9' 5" ⁵
Transport - row unit hoppers	17' 9"	5' 3" / 9' 5" ⁵	5' 3" / 9' 5" ⁵
Width			
Planting - row unit hoppers	31' 4"	40' 0"	30' 0"
Transport - row unit hoppers	16' 2"	21' 1" ⁶ / 23' 0"	16' 1" ⁶ / 17' 9"
Height			
Planting - row unit hoppers	—	—	—
Transport - row unit hoppers	9' 1"	12' 6" ⁶ / 15' 6"	12' 2" ⁶ / 13' 2"
Weight (empty)			
Base machine - row unit hoppers ⁸	7,500-8,066 lbs.	7,480-8,109 lbs.	6,236-6,794 lbs.

1. Add 2' 9" to length with drawbar hitch; add 1' 2" to length for 2-point hitch
2. Includes row markers, flip axle and fertilizer
3. Includes row markers and fertilizer
4. Hitch weight reduced by 1,500 lbs when flip axle is engaged (may vary with other installed options)

5. With dual lift assist package
6. Without markers
7. With double-frame
8. Base machine weight depends on how machine is equipped (meters, drives, hoppers, etc.)

* Typical configuration (split row, marker)
 ** Typical configuration

	3665		3605		3505	
	16R 30"	12R 30"	16R 30"	12R 30"	8R 30"	6R 30"
Length						
Planting - row unit hoppers	–	–	24' 0"	21' 0"	19' 8"	19' 8"
Planting - bulk fill hoppers	26' 3"	23' 9"	24' 0"	21' 0"	19' 8"	–
Transport - row unit hoppers	–	–	46' 10"	36' 10"	26' 5"	23' 9"
Transport - bulk fill hoppers	49' 2"	39' 2"	46' 10"	36' 10"	26' 5"	–
Width						
Planting - row unit hoppers	–	–	41' 2"	31' 2"	21' 10"	16' 10"
Planting - bulk fill hoppers	42' 11"	32' 11"	41' 2"	31' 2"	21' 10"	–
Transport - row unit hoppers	–	–	11' 2"	11' 2"	11' 2"	11' 2"
Transport - bulk fill hoppers	11' 2"	11' 2"	11' 2"	11' 2"	11' 2"	–
Height						
Planting - row unit hoppers	–	–	–	–	–	–
Planting - bulk fill hoppers	–	–	8' 2"	8' 2"	8' 0"	–
Transport - row unit hoppers	–	–	11' 5"	11' 5"	10' 6"	10' 6"
Transport - bulk fill hoppers	12' 11"	12' 11"	12' 6"	12' 6"	12' 0"	–
Weight (empty)						
Base machine - row unit hoppers ⁸	–	–	23,033 lbs.**	18,180 lbs.**	5,886-6,269 lbs.	5,163-5,443 lbs.
Base machine - bulk fill hoppers ⁸	25,718 lbs.*	22,380 lbs.*	24,033 lbs.*	19,180 lbs.*	6,919-11,520 lbs.	–
Hitch - row unit hoppers	–	–	–	–	–	–
Hitch - bulk fill hoppers	–	–	–	–	2,260 lbs (with Split Rows)	–

	3115			3005		
	8R 30"	6R 36-40"	6R 30"	8R 30"	6R 30"	4R 30"
Length						
Planting - row unit hoppers	5' 3"	5' 3"	5' 3"	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷
Transport - row unit hoppers	5' 3"	5' 3"	5' 3"	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷	11' 4" / 13' 8" ⁷
Width						
Planting - row unit hoppers	21' 10"	21' 0"	17' 8"	21' 10"	17' 8"	12' 8"
Transport - row unit hoppers	21' 10"	21' 0"	17' 8"	21' 10"	17' 8"	12' 8"
Height						
Planting - row unit hoppers	–	–	–	–	–	–
Transport - row unit hoppers	–	–	–	–	–	–
Weight (empty)						
Base machine - row unit hoppers ⁸	3,092-3,407 lbs.	2,560-2,854 lbs.	2,483-2,763 lbs.	4,874-5,548 lbs.	3,864-4,398 lbs.	2,538-2,948 lbs.